

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6496819".pn.	USPAT	OR	OFF	2005/01/10 03:06
S1	49	((("5300726") or ("4259718") or ("5452101") or ("5471637") or ("5546532") or ("5608892") or ("5687381") or ("5727227") or ("5857088") or ("5944816") or ("5948093") or ("5987400") or ("6018559") or ("6049779") or ("6134641") or ("RE31004") or ("4330847") or ("4430005") or ("4591979") or ("4787053") or ("4900962") or ("4967377") or ("5197055") or ("5197137") or ("5233350") or ("5237466") or ("5276851") or ("5294845") or ("5313629") or ("5361067") or ("5395199") or ("5446850") or ("5450564") or ("5461721") or ("5471415") or ("5530837") or ("5553160") or ("5577230") or ("5579516") or ("5584013") or ("5586291") or ("5590379") or ("5604322") or ("5627993") or ("5673417") or ("5692165") or ("5724659") or ("5758168") or ("5764089") or ("5774005").pn.))).PN.	USPAT	OR	OFF	2004/12/10 21:15
S2	47	((("5790879") or ("5790846") or ("5822591") or ("5829012") or ("5832297") or ("5859541") or ("5862337") or ("5870757") or ("5889386") or ("5918029") or ("5951663") or ("5963737") or ("5961643") or ("5983303") or ("5983325") or ("5987551") or ("5987541") or ("5987982") or ("5990717") or ("5999721") or ("6002605") or ("6003103") or ("6009522") or ("6009527") or ("6021414") or ("6026483") or ("6038642") or ("6058253") or ("6058400") or ("6075388") or ("6076118") or ("6077306") or ("6081849") or ("6088753") or ("6101132") or ("6137710") or ("6144980") or ("6175911") or ("6205492") or ("6209041") or ("6209128") or ("6211741") or ("6219909") or ("6211741") or ("6219909") or ("6230062") or ("6233672") or ("6247107") or ("3825410") or ("4245479").pn.))).PN.	USPAT	OR	OFF	2004/12/10 21:19
S3	0	("probeWITHserver").PN.	USPAT	OR	OFF	2004/12/10 21:19

S4	176	probe WITH server	USPAT	OR	OFF	2004/12/10 22:00
S5	18	(probe NEAR3 application) WITH server	USPAT	OR	OFF	2004/12/10 21:23
S6	141	(probe).ab. AND server	USPAT	OR	OFF	2004/12/10 22:01
S7	77	(probe).ab. AND server AND (database (data ADJ base) data-base)	USPAT	OR	OFF	2004/12/10 22:02
S8	244	(probe).ab. AND (server client network worksation) AND (database (data ADJ base) data-base)	USPAT	OR	OFF	2004/12/10 22:04
S9	228	(probe).ab. AND (server client network worksation) AND (database (data ADJ base) data-base) AND (time periode)	USPAT	OR	OFF	2004/12/10 22:36
S10	23	(probe).ab. AND (server client network worksation) AND (database (data ADJ base) data-base) AND (time periode) AND "707"/\$	USPAT	OR	OFF	2004/12/10 22:38
S11	17	(probe).ab. AND (server client network worksation) AND (database (data ADJ base) data-base) AND (time periode) AND "707"/\$.ccls.	USPAT	OR	OFF	2004/12/10 22:37
S12	17	(probe).ab. AND (server client network worksation) AND (database (data ADJ base) data-base) AND (time periode) AND ("707"/\$.ccls.	USPAT	OR	OFF	2004/12/10 22:37
S13	45	(probe).ab. AND (server client network worksation) AND (database (data ADJ base) data-base) AND (time periode) AND ("707"/\$ "709"/\$)	USPAT	OR	OFF	2004/12/11 01:26
S14	1	("6321263").PN.	USPAT	OR	OFF	2004/12/10 22:57
S15	2	((("6278696") or ("6167431"))).PN.	USPAT	OR	OFF	2004/12/10 23:43
S16	0	("15ANDsnapshot").PN.	USPAT	OR	OFF	2004/12/10 23:37
S17	0	S15 AND snapshot	USPAT	OR	OFF	2004/12/10 23:37
S18	1	S13 AND snapshot	USPAT	OR	OFF	2004/12/10 23:37
S19	3	((("6278696") or ("6167431") or ("6457143"))).PN.	USPAT	OR	OFF	2004/12/10 23:48
S20	0	S19 AND Java	USPAT	OR	OFF	2004/12/10 23:44
S21	0	S15 AND Java	USPAT	OR	OFF	2004/12/10 23:44
S22	10	S13 AND Java	USPAT	OR	OFF	2004/12/10 23:44
S23	4	((("6278696") or ("6167431") or ("6457143") or ("6321263"))).PN.	USPAT	OR	OFF	2004/12/11 00:00
S24	0	S23 AND JA	USPAT	OR	OFF	2004/12/10 23:48
S25	1	S23 AND Java	USPAT	OR	OFF	2004/12/10 23:49
S26	4	((("6278694") or ("6167431") or ("6457143") or ("6321263"))).PN.	USPAT	OR	OFF	2004/12/10 23:54
S27	1	S26 AND Java	USPAT	OR	OFF	2004/12/10 23:54

S28	0	S26 AND JTCP	USPAT	OR	OFF	2004/12/10 23:55
S29	0	S26 AND JCP	USPAT	OR	OFF	2004/12/10 23:55
S30	2	S26 AND TCP	USPAT	OR	OFF	2004/12/10 23:57
S31	0	S26 AND (User WITH Datagram WITH Protocol)	USPAT	OR	OFF	2004/12/10 23:58
S34	6	S13 AND (Datagram WITH Protocol)	USPAT	OR	OFF	2004/12/11 00:01
S37	5	((("6278696") or ("6167431") or ("6457143") or ("6321263") or ("6826172"))).PN.	USPAT	OR	OFF	2004/12/11 00:04
S38	1	S37 AND (Datagram WITH Protocol)	USPAT	OR	OFF	2004/12/11 00:04
S39	6	((("6278696") or ("6167431") or ("6457143") or ("6321263") or ("6826172") or ("6279037"))).PN.	USPAT	OR	OFF	2004/12/11 00:04
S40	2	S39 AND (Datagram WITH Protocol)	USPAT	OR	OFF	2004/12/11 00:09
S41	1	S39 AND (queue)	USPAT	OR	OFF	2004/12/11 00:13
S42	0	S39 AND (time NEAR2 periode)	USPAT	OR	OFF	2004/12/11 00:14
S43	5	S39 AND (time NEAR2 period)	USPAT	OR	ON	2004/12/11 00:15
S44	0	S39 AND (time NEAR2 period) AND (predetermin\$4 ADJ level)	USPAT	OR	ON	2004/12/11 00:15
S45	5	S39 AND (time NEAR2 period) AND (level)	USPAT	OR	ON	2004/12/11 00:16
S46	2	S39 AND ((time NEAR2 period) WITH (level))	USPAT	OR	ON	2004/12/11 00:20
S47	0	S39 AND (queue WITH Java)	USPAT	OR	ON	2004/12/11 00:20
S48	1	S39 AND (queue AND Java)	USPAT	OR	ON	2004/12/11 00:22
S49	0	S39 AND (low WITH thread)	USPAT	OR	ON	2004/12/11 00:22
S50	0	S39 AND (low\$4 WITH thread)	USPAT	OR	ON	2004/12/11 00:22
S51	0	S39 AND (low\$4 WITH thread\$4)	USPAT	OR	ON	2004/12/11 00:22
S52	1	S39 AND (thread\$4)	USPAT	OR	ON	2004/12/11 00:25
S53	1	S39 AND (thread)	USPAT	OR	ON	2004/12/11 00:27
S54	6	S39 AND (transfer\$4)	USPAT	OR	ON	2004/12/11 00:30
S55	4	S39 AND (user WITH probe)	USPAT	OR	ON	2004/12/11 00:51
S56	1	S39 AND (ping)	USPAT	OR	ON	2004/12/11 01:06
S57	1	S39 AND balance	USPAT	OR	ON	2004/12/11 01:08
S58	5	S39 AND probe	USPAT	OR	ON	2004/12/11 01:17
S59	4	S39 AND probe AND list	USPAT	OR	ON	2004/12/11 01:17
S60	2	S39 AND (probe WITH list)	USPAT	OR	ON	2004/12/11 01:25
S61	0	S39 AND JSP	USPAT	OR	ON	2004/12/11 01:25
S62	1	S13 AND JSP	USPAT	OR	OFF	2004/12/11 01:28
S63	1	(probe).ab. AND JSP	USPAT	OR	OFF	2004/12/11 01:28
S64	8	(probe)AND JSP	USPAT	OR	OFF	2004/12/11 01:31

S65	186	(probe)AND SQL	USPAT	OR	OFF	2004/12/11 01:31
S66	0	S39 AND SQL	USPAT	OR	OFF	2004/12/11 01:32
S67	2	S39 AND query	USPAT	OR	OFF	2004/12/11 01:35
S68	271	JSP	USPAT	OR	OFF	2004/12/11 01:35
S69	100	JSP AND database	USPAT	OR	OFF	2004/12/11 01:53
S70	0	S39 AND self-destruct\$4	USPAT	OR	OFF	2004/12/11 01:54
S71	6	S39	USPAT	OR	OFF	2004/12/11 01:54
S72	1	"6324517".pn.	USPAT	OR	OFF	2004/12/14 21:25
S73	1	("6519597").PN.	USPAT	OR	OFF	2004/12/14 21:28
S74	0	09/714627	US-PGPUB; USPAT	OR	OFF	2004/12/14 21:30
S75	862	(@ad < "20001711" @rlad < "20001711") AND ((document text HTML xML SGML) AND structure).ab.	US-PGPUB; USPAT	OR	OFF	2004/12/14 21:39
S76	743	(@ad < "19991711" @rlad < "19991711") AND ((document text HTML xML SGML) AND structure).ab.	US-PGPUB; USPAT	OR	OFF	2004/12/14 21:43
S77	369	(@ad < "19991711" @rlad < "19991711") AND ((document text HTML xML SGML) AND structure).ab. AND (query queries search\$4)	US-PGPUB; USPAT	OR	OFF	2004/12/14 21:43
S78	121	(@ad < "19991711" @rlad < "19991711") AND ((document text HTML xML SGML) AND structure).ab. AND ((query queries search\$4) WITH (plan\$4 graph node tree))	US-PGPUB; USPAT	OR	ON	2004/12/14 21:48
S79	2	(@ad < "19991711" @rlad < "19991711") AND ((document text HTML xML SGML) AND structure).ab. AND ((query queries search\$4) WITH (plan\$4 graph node tree) WITH (weight))	US-PGPUB; USPAT	OR	ON	2004/12/14 21:48
S80	2	(@ad < "20001711" @rlad < "20001711") AND ((document text HTML xML SGML) AND structure).ab. AND ((query queries search\$4) WITH (plan\$4 graph node tree) WITH (weight))	US-PGPUB; USPAT	OR	ON	2004/12/14 21:55
S81	6	(@ad < "20001711" @rlad < "20001711") AND ((document text HTML xML SGML) AND structure).ab. AND ((query queries search\$4) WITH (plan\$4 graph node tree) WITH (weight cost))	US-PGPUB; USPAT	OR	ON	2004/12/14 22:03

S82	201	(@ad < "20001711" @rlad < "20001711") AND ((document text HTML xML SGML) AND structure) AND ((query queries search\$4) WITH (plan\$4 graph node tree) WITH (weight cost))	US-PGPUB; USPAT	OR	ON	2004/12/14 23:35
S83	47	(@ad < "20001711" @rlad < "20001711") AND ((HTML xML SGML PHTML) AND structure) AND ((query queries search\$4) WITH (plan\$4 graph node tree) WITH (weight cost))	US-PGPUB; USPAT	OR	ON	2004/12/14 22:54
S84	91	(@ad < "20001711" @rlad < "20001711") AND ((document text HTML xML SGML) AND structure) AND (((query queries search\$4) NEAR3 plan\$4) WITH (plan\$4 graph node tree) WITH (weight cost))	US-PGPUB; USPAT	OR	ON	2004/12/14 23:39
S85	3	(@ad < "20001711" @rlad < "20001711") AND ((document text HTML xML SGML) WITH structure) AND (((query queries search\$4) NEAR3 plan\$4) WITH (plan\$4 graph node tree) WITH (weight cost))	US-PGPUB; USPAT	OR	ON	2004/12/14 23:42
S86	91	(@ad < "20001711" @rlad < "20001711") AND ((document text HTML xML SGML) AND structure) AND (((query queries search\$4) NEAR3 plan\$4) WITH (plan\$4 graph node tree) WITH (weight cost))	US-PGPUB; USPAT	OR	ON	2004/12/15 00:08
S87	1	("5669007").PN.	USPAT	OR	OFF	2004/12/15 00:03
S88	1	S87 AND index	USPAT	OR	OFF	2004/12/15 00:07
S89	0	S87 AND (less WITH cost)	USPAT	OR	OFF	2004/12/15 00:08
S90	3	(@ad < "19991711" @rlad < "19991711") AND ((document text HTML xML SGML) AND structure) AND (((query queries search\$4) NEAR3 plan\$4) WITH (plan\$4) WITH (weight cost) WITH less)	US-PGPUB; USPAT	OR	ON	2004/12/15 00:08